



Zip FlushMaster Surface WS002

Product code: 40090

Capacity: Commercial

Zip FlushMaster® Surface infrared urinal flushing system with variable flush cycle to meet your needs precisely.

- Solenoid latching valve supplied with connections
- Variable flush cycle to allow for site requirements
- Catering for long slab troughs and wall-hung urinals
- Battery operated for simple, inexpensive installation
- Optional power pack connects to 220/240 volt AC power

Specifications

Product name	Zip FlushMaster Surface WS002
Product code	40090
Product approvals	WaterMark, CE,
Warranty	1 Year

Capacity, weight & dimensions

Dimensions	H60mm x W129mm x D89mm
------------	------------------------

Plumbing

Water pressure	min 100kPa - max 700kPa
----------------	-------------------------

Electrical

Power supply	Battery 6V Lithium
--------------	--------------------


Installation

Installation requirements

Must be installed by a suitably qualified person in accordance with manufacturers instructions and with all relevant plumbing and electrical regulations

Files

Installation Layout 3D (DWG)



Installation layout (PDF)

Certifications



Environment
ISO 14001



OHS
ISO 45001



Quality
ISO 9001



↓ Environment ISO
(PDF)



↓ Health & safety
(PDF)



↓ Quality ISO (PDF)

Manuals & brochures



↓ Brochure (PDF)



↓ Instruction manual
(PDF)

↓ Download all