



## HydroTap G5 BCS60 Cube Plus Chrome

Boiling Chilled Sparkling



**Finish:** Chrome

**Product code:** H5C762Z00AU

**Capacity:** Commercial

Zip HydroTap Design Range Boiling, Chilled, Sparkling, Filtered water tap features a single under bench command centre including full colour interactive touch screen display with pin code protection and customisable settings including boiling water safety mode, 3 energy saving modes including ON/OFF timers and 2 hour sleep mode, 'Quiet' mode with automated intelligent fan speed adjustment, antimicrobial protection impregnated into key water paths for enhanced hygiene, 100% water efficient air cooled technology, 0.2 micron water filtration, and a refillable CO2 cylinder. Easy to install integrated ventilation tray included.

# Specifications

|                     |                                                                                |
|---------------------|--------------------------------------------------------------------------------|
| Product name        | HydroTap G5 BCS60 Cube Plus Chrome                                             |
| Product code        | H5C762Z00AU                                                                    |
| Filtered water type | BCS                                                                            |
| Product approvals   | WaterMark, RCM, ARC                                                            |
| Warranty            | 5 years (appliance warranty 36 months plus additional 24 months tank warranty) |
| Chilling Technology | Air cooled technology making it 100% water efficient                           |

# Capacity, weight & dimensions

|                                              |       |
|----------------------------------------------|-------|
| Number of people                             | 41-60 |
| Boiling cups per hour                        | 160   |
| Combined chilled and sparkling cups per hour | 175   |

# Plumbing

|                           |                                                                |
|---------------------------|----------------------------------------------------------------|
| Water supply requirements | Cold                                                           |
| Water connection          | 1/2" BSP (G1/2)                                                |
| Water valves              | Integrated 500kPa Pressure limiting valve and Dual Check Valve |
| Water pressure            | Min 250kPa - Max 700kPa                                        |

# Electrical

|              |                          |
|--------------|--------------------------|
| Power rating | 2.15kW 220-240V 50Hz     |
| Power supply | 1 × 10 Amp socket outlet |

# Tap design

|                    |                                                  |
|--------------------|--------------------------------------------------|
| Tap                | Zip HydroTap Design Range CUBE Plus Tap (Chrome) |
| HydroTap style     | Cube Plus                                        |
| Finish             | Chrome                                           |
| Disability options | no                                               |

# Command centre

Dimensions W395mm x D487mm x H333mm


## Installation

### Installation requirements

- 1. Installation and connection of your Zip HydroTap must be carried out by a qualified person, observing national and local regulations.
- 2. You will require suitable mains electrical and drinking water connections, plus waste water drainage. The HydroTap must be installed to within the limits of the hose and cable lengths supplied.
- 3. Discrete cabinetry cut outs are required for airflow. 40mm minimum clearance on cupboard base overhang required otherwise alternative installation options are available.
- 4. Installation on most bench tops is straightforward however some stone bench tops may require a specialised cutting service.
- 5. Installation by Zip Professional Service can be arranged with a phone call or through [www.zipwater.com/book-service-visit](http://www.zipwater.com/book-service-visit)

### Files

Installation Layout 3D (DWG)



Installation Layout (PDF)

# BIM files



↓ ArchiCAD Swift  
Globals Library  
(LCF)



↓ ArchiCAD Zip Water  
Library (LCF)



↓ Revit Project File  
(RFA)



↓ Revit Virtual  
Showroom (RVT)

↓ Download all

# Certifications



Environment  
ISO 14001



OHS  
ISO 45001



Quality  
ISO 9001



↓ ARC (PDF)



↓ Environment ISO  
(PDF)



↓ Environmental  
Product Declaration  
Brochure (PDF)



↓ Filter performance  
(PDF)



↓ Health & Safety  
(PDF)



↓ HydroTap Clean  
SDS (PDF)



↓ Quality ISO (PDF)

# Manuals & brochures



↓ Brochure (PDF)



↓ CO<sub>2</sub> MSDS (PDF)



↓ Instruction manual (PDF)



↓ Quick guide (PDF)



↓ Tap operation label (PDF)



↓ User manual (PDF)

↓ Download all

# Accessories



93441Z0002

Font Kit Stand Alone Chrome