



Animo Coffee Brewer Combi-line



Simple, Fast & Reliable

ANIMO®



ComBi-line machines can quickly brew large quantities of fresh filter coffee. A ComBi-line set-up consists of a brewing unit with either one or two containers (5, 10 or 20 litre).

The user-friendly ComBi-line can be placed on a buffet or counter, or used in combination with a serving trolley. The ComBi-line is available with (W models) or without hot water dispenser in the brewing unit.

Simple, fast and reliable! With the ComBi-line brewing unit, you can brew a full container of tasty filter coffee within 15 minutes.



Extras & Accessories



CN Container

They have an insulated lid to keep the beverage at the perfect temperature. The containers are transportable, stackable, with integrated gauge glass and no-drip tap. Electrical (CNe) with led-light.



Tea Filter With Disk

To make tea in a container, use the special tea filter with filler pipe.



ComBi Filter

The fixed basket filter is 50% lighter than the stainless-steel filter. Its double walls prevent the outside from becoming too hot. And it's dishwasher proof.



Filter Paper

Used for filtering out any impurities in all types of grounded coffee.



Serving Trolley

Animo produces an extensive range of mobile serving combinations that are practical, flexible and unrestricted in use. *Draw additional charge**

Available in 1 colour and multitude of variants

Plug and Play

ComBi-line comes ready and pre-assembled. Choose your language, set the timer and turn on the tap. You're all set and ready to go!

Top Filter

The fixed basket filter is 50% lighter than the stainless-steel filter. Its double walls prevent the outside from becoming too hot. And it's dishwasher proof.

Protective Cap

Made of aluminium. Behind the cap, each container has one extra gauge glass. Always ready for operation!

CN Containers (Optional)

Isolated and stackable, available for the brewing unit in 5, 10 or 20 litre version. CNe models have LED-lighting. Insulated lid to keep the beverage on perfect temperature. Improved heating. No hot spots.

Hot Water Dispenser (Optional)

All models are available with or without a hot water dispenser in the brewing unit. Energy saving mode (W models), Insulated boiler, High capacity of hot water (W models)

Capacitive Touch User Interface

The Touch technology provides a very intuitive user interface. Just set the recommended quantity of coffee and follow the brewing process onscreen. With Operator and service menu, Programmable timers, Coffee dosing advice, Day and total counters.

Cover

Stainless steel, double walled and insulated. Robust and slosh safe.

New Tap

For different labels: coffee, tea or hot water

Very Safe to Use

Swivel arm detection, Swivel arm protection

Wall Mounted Solution

For portable and quality beverages.








Serving Trolley Type S (Optional)

Stainless steel serving trolley suitable for the transportation of coffee and tea containers.

ComBi-Line

Dimensions

Simple, Fast & Reliable



CB 1x5 L CB 1x10 L CB 1x20 L CB 1x5 R CB 1x10 R CB 1x20 R CB 2x5 CB 2x10 CB 2x20

A =	480	549	603	480	549	603	769	908	1016
B =	505	590	645	505	590	645	815	980	1095
C =	327	327	360	327	327	360	327	327	360
D =	470	470	500	470	470	500	470	470	500
E =	700	790	895	700	790	895	700	790	895
F =	616	707	809	616	707	809	616	707	809
G =	611	702	804	611	702	804	611	702	804
H =	185	185	185	185	185	185	185	185	185
I =	185	185	290	185	185	290	185	185	290
J =	365	435	490	77	77	77	365	435	490
K =	384	454	508	96	96	96	384	454	508
L =	414	484	538	125	125	125	414	484	538
M =	137	137	168	137	137	168	137	137	138
N =	23	23	55	23	23	55	23	23	55
O =	140	140	140	140	140	171	140	140	171

Specifications



Category	Animo CB 1x5 L/R	Animo CB 1x10 L/R	Animo CB 1x20 L/R
Maximum Hourly Capacity	30 Litres	60 Litres	90 Litres
Weight	Empty: 17kg	Empty: 20kg	Empty: 23kg
	Filled: 21kg	Filled: 26kg	Filled: 29kg
Power Supply & Consumption	1N~220-240V	3N~ 380-415V/	3N~380-415V/
	50-60Cy/3125W	50-60Cy/6275W	50-60Cy/9275W
Colour	Standard: Stainless-Steel Air pot	Standard: Stainless-Steel Air pot	Standard: Stainless-Steel Air pot
	Main Unit: Matte Black	Main Unit: Matte Black	Main Unit: Matte Black



Category	Animo CB 2x5	Animo CB 2x10	Animo CB 2x20
Maximum Hourly Capacity	30 Litres	60 Litres	90 Litres
Weight	N/a	N/a	N/a
Power Supply & Consumption	1N~220-240V/	3N~ 380-415V/	3N~380-415V/
	50-60Cy/3475W	50-60Cy/6275W	50-60Cy/9275W
Colour	Standard: Stainless-Steel Air pot	Standard: Stainless-Steel Air pot	Standard: Stainless-Steel Air pot
	Main Unit: Matte Black	Main Unit: Matte Black	Main Unit: Matte Black



Category	Animo CB 1x5W L/R	Animo CB 1x10W L/R	Animo CB 1x20W L/R
Maximum Hourly Capacity	30 Litres	60 Litres	90 Litres
Weight	Empty: 17kg	Empty: 20kg	Empty: 23kg
	Filled: 21kg	Filled: 26kg	Filled: 29kg
Power Supply & Consumption	1N~220-240V/	3N~ 380-415V/	3N~380-415V/
	50-60Cy/3475W	50-60Cy/6275W	50-60Cy/9275W
Colour	Standard: Stainless-Steel Air pot	Standard: Stainless-Steel Air pot	Standard: Stainless-Steel Air pot
	Main Unit: Matte Black	Main Unit: Matte Black	Main Unit: Matte Black

Due to its long service life and low maintenance performance, Animo ComBi-line has a very low total cost of ownership.

Specifications

Category	Animo CB 2x5W	Animo CB 2x10W	Animo CB 2x20W
Maximum Hourly Capacity	30 Litres	60 Litres	90 Litres
Weight	N/a	N/a	N/a
Power Supply & Consumption	1N~220-240V 50-60Cy/3125W	3N~ 380-415V/ 50-60Cy/6275W	3N~380-415V/ 50-60Cy/9275W
Colour	Standard: Stainless-Steel Air pot Main Unit: Matte Black	Standard: Stainless-Steel Air pot Main Unit: Matte Black	Standard: Stainless-Steel Air pot Main Unit: Matte Black



Category	Animo CB5	Animo CB10	Animo CB20
Maximum Hourly Capacity	30 Litres	60 Litres	90 Litres
Weight	N/a	N/a	N/a
Power Supply & Consumption	1N~220-240V 50-60Cy/3200W	3N~ 380-415V/ 50-60Cy/6200W	3N~380-415V/ 50-60Cy/9200W
Colour	Standard: Stainless-Steel Air pot Main Unit: Matte Black	Standard: Stainless-Steel Air pot Main Unit: Matte Black	Standard: Stainless-Steel Air pot Main Unit: Matte Black



Category	Animo CB5W	Animo CB10W	Animo CB20W
Maximum Hourly Capacity	30 Litres	60 Litres	90 Litres
Weight	N/a	N/a	N/a
Power Supply & Consumption	3N~380-415V/ 50-60Cy/5400W	3N~ 380-415V/ 50-60Cy/8400W	3N~380-415V/ 50-60Cy/11400W
Colour	Standard: Stainless-Steel Air pot Main Unit: Matte Black	Standard: Stainless-Steel Air pot Main Unit: Matte Black	Standard: Stainless-Steel Air pot Main Unit: Matte Black



02 9756 4744
sales@boema.com.au
www.boema.com.au

BOEMA COFFEE MACHINES
Unit 8/1 Cowpasture Pl,
Wetherill Park NSW 2164

ANIMO[®]
BOEMA