



Fagor Kore 700 Series Electric Cook Top and Oven SS C-E741

Quick Overview

ELECTRIC COOKER WITH OVEN, C-E741

- Pressed surface tops manufactured in 1.5 mm thick AISI-304 stainless steel, with rounded edges, designed to prevent spilled liquid from pans from entering the interior of the oven.
- Deep-drawn surface top with rounded corners for easy cleaning.
- Laser-cut joints and automatic welding. Hidden screws.
- Power regulation via selector with 7 positions.
- Protection against overheating for each plate.
- High-temperature enamelled cast iron flue protector.

Description

- Pressed surface tops manufactured in 1.5 mm thick AISI-304 stainless steel, with rounded edges, designed to prevent spilled liquid from pans from entering the interior of the oven.
- Deep-drawn surface top with rounded corners for easy cleaning.
- Laser-cut joints and automatic welding. Hidden screws.
- Power regulation via selector with 7 positions.
- Protection against overheating for each plate.
- High-temperature enamelled cast iron flue protector.
- Access to components from the front.
- Easy connection and compliant with health standards.
- Machines with IPX5 grade water protection.

ELECTRIC STATIC OVEN GN 2/1:

- Static electric oven with dimensions GN 2/1 user friendly, with controls positioned on the upper panel for a better ergonomomy.
- Cooking chamber made entirely of stainless steel which makes cleaning easier and ensures greater hygiene. - Trays are inserted sideways which improves manoeuvrability.
- Heating through stainless steel heating elements with selector switch for operation of the upper and/or inner part.
- Heating power of 6 kW.
- Thermostatic valve for temperature control (125 - 310 ° C).
- Rails on three height levels to offer different cooking options.
- Rails with anti-tipping system to prevent trays from overturning.
- Cast iron oven floor which guarantees better performance and uniform heat distribution.
- Fibreglass closing seal to improve the thermal efficiency of the oven and ensure its durability.
- Deep-drawn oven frame and inner door, ensuring a better oven closure.
- Detachable oven door to facilitate repairs.

- Stainless steel feet with adjustable height.
- Four round cast iron hot plates of 223 mm diameter, with 2,6 kw power, hermetically fixed to the deep-drawn surface top.

2 Years Parts and Labour + 2 Years Parts only Warranty with Product Registration

Your Shipping Specifications

Net Weight (Kg)	90
Width (mm)	800
Depth (mm)	730
Height (mm)	850
Packing Width (mm)	840
Packing Depth (mm)	822
Packing Height (mm)	1255
Power	16,400 kW